

TensionWorks

Product Catalogue 2026

Pages 4-5 [Custom Order Sheet](#)

Page 6-8 [Compression Springs](#)

Page 9-11 [Tension Springs](#)

This page is intentionally left blank

Tension Works Pty Ltd

A.B.N. 25693636574 | A.C.N. 693636574

<https://www.tensionworks.com.au/>

Address:

27A Amberley Cres,
Dandenong South VIC 3175

All enquiries:

accounts@tensionworks.com.au


Trading Hours:

Mon-Fri, 8:00 am–7:00 pm

Trucks & Couriers only loaded until 4:00pm

Please note that Tension Works are **wholesale manufacturers** and do not sell directly to the public, nor do we have facilities for visitors to the warehouse.

Please find our latest catalogue and up-to-date price-lists on our website



TensionWorks

Tension Works


A.B.N. 25693636574 | A.C.N. 693636574
 27A Amberley Cres, Dandenong South VIC 3175
 Email: Accounts@TensionWorks.com.au

Request for Quotation

Please send drawings to Accounts@tensionworks.com.au

Name	
Company	
Telephone No.	
Email Address	

Custom Compression Spring	Required Information	
	FL – Free Length	
	O.D – Outside Diameter	
	WD – Wire Diameter	
	Number of coils	
	Material (R2 Spring Wire)(Stainless Steel S304)	
	Surface Finish (Plain)(Zinc Plated) (Stainless Steel Plain)	
	Quantity	
Custom Tension Spring	Required Information	
	FL – Free Length	
	O.D – Outside Diameter	
	WD – Wire Diameter	
	Number of coils	
	Material (R2 Spring Wire)(Stainless Steel S304)	
	Surface Finish (Plain)(Zinc Plated) (Stainless Steel Plain)	
	Quantity	
Custom Torsion Spring	Required Information	
	FL – Free Length	
	O.D – Outside Diameter	
	WD – Wire Diameter	
	Number of coils	
	Material (R2 Spring Wire)(Stainless Steel S304)	
	Surface Finish (Plain)(Zinc Plated) (Stainless Steel Plain)	
	Quantity	



TensionWorks

Tension Works

A.B.N. 25693636574 | A.C.N. 693636574
27A Amberley Cres, Dandenong South VIC 3175
Email: Accounts@TensionWorks.com.au

Request for Quotation

Please send drawings to Accounts@tensionworks.com.au

Name	
Company	
Telephone No.	
Email Address	

Free Sketch	Required Information	
	FL – Free Length	
	O.D – Outside Diameter	
	WD – Wire Diameter	
	Number of coils	
	Material (R2 Spring Wire) (Stainless Steel S304)	
	Surface Finish (Plain)(Zinc Plated) (Stainless Steel Plain)	
	Quantity	
	Additional Information:	

Compression Springs

Zinc Plated Spring Steel



✉ accounts@tensionworks.com.au

Part No.	Description	Overall Length	Outside Diameter O.D.	Wire Diameter	Total Coils	No. per pack
C2	Compression Spring	12.7	3.97	0.80	9.75	3
C1	Compression Spring	12.7	6.35	0.63	6.25	3
C3	Compression Spring	12.7	8.73	0.80	6.00	3
C5	Compression Spring	12.7	10.32	1.00	5.00	3
C4	Compression Spring	15.9	3.97	0.28	7.75	3
C15	Compression Spring	15.9	8.00	0.63	5.25	3
C17	Compression Spring	19.0	8.00	0.80	6.75	3
C19	Compression Spring	19.0	9.35	0.80	6.00	3
C96	Compression Spring	19.0	11.10	0.71	5.00	2
C164	Compression Spring	19.0	15.90	1.00	3.73	1
C11	Compression Spring	20.6	6.35	0.56	9.00	3
C13	Compression Spring	20.6	8.00	0.56	7.50	3
C21	Compression Spring	20.6	10.32	1.00	7.25	3
C20	Compression Spring	22.2	6.35	1.00	9.25	3
C6	Compression Spring	25.4	3.97	0.28	11.50	3
C18	Compression Spring	25.4	9.53	0.56	5.00	3
C7	Compression Spring	25.4	3.97	0.71	20.25	3
C8	Compression Spring	25.4	4.76	0.50	12.75	3
C9	Compression Spring	25.4	5.56	0.71	13.24	3
C10	Compression Spring	25.4	5.56	0.50	10.00	3
C12	Compression Spring	25.4	5.56	0.40	8.00	3
C69	Compression Spring	25.4	6.35	0.63	10.75	3
C16	Compression Spring	25.4	8.00	0.40	5.25	3
C14	Compression Spring	25.4	6.35	0.50	8.25	3
C93	Compression Spring	25.4	8.73	0.10	9.00	2
C97	Compression Spring	25.4	11.10	1.25	8.24	2
C189	Compression Spring	25.4	12.70	1.60	9.50	1
C192	Compression Spring	25.4	15.90	2.00	4.75	1
C193	Compression Spring	25.4	19.00	2.00	5.00	1
C87	Compression Spring	30.2	6.35	0.63	12.00	2
C89	Compression Spring	30.2	10.32	1.00	9.50	2
C71	Compression Spring	31.8	3.97	0.90	21.00	3
C90	Compression Spring	31.8	8.00	1.00	12.00	2
C194	Compression Spring	31.8	17.50	2.24	6.25	1
C191	Compression Spring	35.0	14.30	1.80	8.25	1
C70	Compression Spring	35.0	3.97	0.71	27.75	3
C84	Compression Spring	35.0	4.76	0.50	16.75	3
C72	Compression Spring	35.0	4.76	0.71	11.25	3
C83	Compression Spring	35.0	5.56	0.50	13.50	3
C85	Compression Spring	35.0	6.35	0.50	10.75	3
C86	Compression Spring	35.0	6.35	0.90	17.25	2
C88	Compression Spring	35.0	7.14	0.71	14.75	2

Tension Works reserves the right to add, amend, or delete sizes without notice.

accounts@tensionworks.com.au <http://www.tensionworks.com.au>

Compression Springs

Zinc Plated Spring Steel



✉ accounts@tensionworks.com.au

Part No.	Description	Overall Length	Outside Diameter O.D.	Wire Diameter	Total Coils	No. per pack
C91	Compression Spring	35.0	8.00	0.80	13.00	2
C95	Compression Spring	35.0	12.70	1.40	9.50	2
C108	Compression Spring	38.1	6.35	0.63	20.00	2
C92	Compression Spring	38.1	8.00	0.56	10.00	2
C109	Compression Spring	38.1	8.00	0.90	18.50	2
C110	Compression Spring	38.1	9.53	0.71	10.25	2
C190	Compression Spring	38.1	12.70	1.00	8.00	1
C163	Compression Spring	38.1	15.90	1.00	5.75	1
C94	Compression Spring	41.3	8.00	1.00	15.50	2
C229	Compression Spring	41.3	19.90	3.15	10.25	1
C98	Compression Spring	44.5	3.18	0.35	31.00	2
C99	Compression Spring	44.5	3.97	0.40	23.50	2
C105	Compression Spring	44.5	4.76	0.40	17.50	2
C100	Compression Spring	44.5	4.76	0.71	28.0	2
C107	Compression Spring	44.5	6.35	0.50	13.50	2
C106	Compression Spring	44.5	6.35	0.90	21.75	2
C111	Compression Spring	44.5	8.00	1.00	18.00	2
C113	Compression Spring	44.5	8.73	1.00	14.25	2
C115	Compression Spring	44.5	10.20	1.00	15.00	2
C197	Compression Spring	44.5	12.70	1.60	13.75	1
C117	Compression Spring	44.5	15.90	1.60	9.00	1
C230	Compression Spring	47.6	22.23	2.80	7.25	1
C116	Compression Spring	50.8	8.00	1.40	19.75	1
C112	Compression Spring	50.8	8.73	1.00	15.00	2
C160	Compression Spring	50.8	9.35	1.00	14.75	1
C162	Compression Spring	50.8	9.35	1.25	22.75	1
C196	Compression Spring	50.8	10.32	1.25	20.25	1
C199	Compression Spring	50.8	11.10	1.40	17.25	1
C195	Compression Spring	50.8	11.10	1.80	16.25	1
C198	Compression Spring	50.8	12.70	1.25	15.00	1
C200	Compression Spring	50.8	12.70	1.80	14.00	1
C225	Compression Spring	50.8	19.00	2.00	9.25	1
C231	Compression Spring	50.8	22.23	3.15	10.00	1
C226	Compression Spring	50.8	23.80	2.00	7.00	1
C159	Compression Spring	54.0	8.73	1.00	18.00	1
C161	Compression Spring	54.0	10.32	1.00	17.75	1
C114	Compression Spring	54.0	11.10	0.80	11.00	2
C165	Compression Spring	55.6	12.70	1.00	13.00	1
C234	Compression Spring	55.6	19.90	2.80	9.50	1
C233	Compression Spring	55.6	22.23	2.50	8.75	1
C201	Compression Spring	60.3	14.30	2.00	15.25	1
C271	Compression Spring	60.3	39.70	3.55	5.50	1

Tension Works reserves the right to add, amend, or delete sizes without notice.

accounts@tensionworks.com.au <http://www.tensionworks.com.au>

Compression Springs

Zinc Plated Spring Steel



✉ accounts@tensionworks.com.au


Part No.	Description	Overall Length	Outside Diameter O.D.	Wire Diameter	Total Coils	No. per pack
C204	Compression Spring	63.5	11.90	1.40	20.00	1
C203	Compression Spring	63.5	12.70	1.60	19.50	1
C235	Compression Spring	63.5	19.00	2.80	15.50	1
C238	Compression Spring	63.5	25.40	2.80	10.50	1
C272	Compression Spring	63.5	35.00	3.55	8.00	1
C206	Compression Spring	63.5	15.90	1.40	14.00	1
C270	Compression Spring	65.1	30.20	3.15	8.00	1
C202	Compression Spring	65.1	10.32	1.25	27.75	1
C207	Compression Spring	69.9	15.90	1.60	12.00	1
C237	Compression Spring	69.9	23.00	2.80	14.00	1
C282	Compression Spring	69.9	30.20	3.15	10.00	1
C205	Compression Spring	69.9	12.70	1.25	25.75	1
C232	Compression Spring	76.2	14.30	1.40	18.25	1
C227	Compression Spring	76.2	17.50	1.25	13.00	1
C240	Compression Spring	76.2	19.90	2.00	12.00	1
C247	Compression Spring	76.2	22.23	2.80	16.00	1
C242	Compression Spring	76.2	25.40	2.50	10.00	1
C281	Compression Spring	76.2	25.4	3.15	13.24	1
C239	Compression Spring	79.4	14.30	1.60	15.00	1
C241	Compression Spring	79.4	15.90	1.40	14.50	1
C243	Compression Spring	79.4	17.50	1.60	15.00	1
C246	Compression Spring	79.4	19.00	2.24	14.00	1
C280	Compression Spring	79.4	27.00	2.80	10.50	1
C283	Compression Spring	88.9	19.00	2.00	15.25	1
C244	Compression Spring	88.9	19.00	2.24	15.50	1
C285	Compression Spring	92.1	17.50	1.80	17.25	1
C267	Compression Spring	101.6	17.50	1.60	17.50	1
C284	Compression Spring	101.6	17.50	2.50	16.50	1
C273	Compression Spring	101.6	27.00	3.15	10.75	1
C268	Compression Spring	101.6	33.34	3.55	10.50	1
C291	Compression Spring	152.4	19.90	2.80	21.50	1
C290	Compression Spring	152.4	22.23	2.24	21.25	1
C294	Compression Spring	152.4	35.00	3.15	17.50	1
C295	Compression Spring	196.60	22.23	2.00	25.00	1
C297	Compression Spring	203.2	25.40	2.25	22.75	1
C298	Compression Spring	203.2	25.40	2.80	32.00	1

Tension Works reserves the right to add, amend, or delete sizes without notice.

accounts@tensionworks.com.au <http://www.tensionworks.com.au>

Tension Springs

Zinc Plated Spring Steel



✉ accounts@tensionworks.com.au


Part No.	Description	Overall Length	Outside Diameter O.D.	Wire Diameter	No. per pack
T6	Tension Spring	25.4	3.50	0.50	1
T12	Tension Spring	25.4	5.00	0.45	1
T14	Tension Spring	30.2	3.18	0.63	1
T28	Tension Spring	30.2	6.35	0.80	1
T30	Tension Spring	30.2	8.00	0.80	1
T32	Tension Spring	38.1	5.10	0.71	1
T34	Tension Spring	38.1	3.18	0.45	1
T36	Tension Spring	38.1	4.76	0.45	1
T38	Tension Spring	38.1	4.76	0.50	1
T40	Tension Spring	38.1	5.56	0.56	1
T42	Tension Spring	38.1	6.35	0.50	1
T44	Tension Spring	38.1	6.35	0.56	1
T46	Tension Spring	38.1	7.14	0.63	1
T48	Tension Spring	38.1	8.00	0.71	1
T144	Tension Spring	38.1	8.00	1.25	1
T50	Tension Spring	38.1	11.10	0.71	1
T52	Tension Spring	38.1	11.10	1.25	1
T154	Tension Spring	41.3	12.70	2.00	1
T54	Tension Spring	44.5	8.00	0.71	1
T56	Tension Spring	44.5	8.70	0.80	1
T58	Tension Spring	47.7	3.18	0.45	1
T60	Tension Spring	47.7	4.76	0.45	1
T62	Tension Spring	47.7	4.76	0.50	1
T64	Tension Spring	47.7	4.76	0.63	1
T66	Tension Spring	47.7	5.56	0.56	1
T68	Tension Spring	47.7	6.35	0.40	1
T70	Tension Spring	47.7	6.35	0.56	1
T72	Tension Spring	47.7	6.35	0.71	1
T74	Tension Spring	47.7	8.00	0.50	1
T76	Tension Spring	47.7	9.53	0.80	1
T78	Tension Spring	47.7	11.10	0.71	1
T80	Tension Spring	47.7	11.10	1.25	1
T156	Tension Spring	49.2	12.70	2.00	1
T82	Tension Spring	50.8	6.35	0.71	1
T88	Tension Spring	50.8	10.32	1.00	1
T134	Tension Spring	50.8	11.10	1.60	1
T84	Tension Spring	55.6	4.76	0.40	1
T158	Tension Spring	55.6	12.70	2.00	1
T146	Tension Spring	58.8	6.35	0.80	1
T108	Tension Spring	60.3	8.00	0.80	1
T110	Tension Spring	60.3	10.32	1.00	1
T112	Tension Spring	63.5	4.76	0.50	1

Tension Works reserves the right to add, amend, or delete sizes without notice.

accounts@tensionworks.com.au <http://www.tensionworks.com.au>

Tension Springs

Zinc Plated Spring Steel



✉ accounts@tensionworks.com.au


Part No.	Description	Overall Length	Outside Diameter O.D.	Wire Diameter	No. per pack
T114	Tension Spring	63.5	4.76	0.63	1
T116	Tension Spring	63.5	5.56	0.56	1
T118	Tension Spring	63.5	6.35	0.50	1
T120	Tension Spring	63.5	6.35	0.71	1
T126	Tension Spring	63.5	8.70	0.63	1
T128	Tension Spring	63.5	8.70	0.71	1
T130	Tension Spring	63.5	11.10	0.71	1
T132	Tension Spring	63.5	11.10	1.25	1
T136	Tension Spring	63.5	12.70	1.25	1
T140	Tension Spring	63.5	15.90	1.80	1
T122	Tension Spring	65.0	8.00	0.80	1
T124	Tension Spring	65.0	8.00	0.90	1
T86	Tension Spring	66.7	5.10	0.40	1
T160	Tension Spring	66.7	19.00	2.80	1
T150	Tension Spring	69.8	11.10	0.90	1
T162	Tension Spring	73.0	14.30	1.80	1
ABS1	Tension Spring	76.2	15.90	2.50	1
T148	Tension Spring	76.2	8.00	0.71	1
T172	Tension Spring	76.2	8.00	0.80	1
T178	Tension Spring	76.2	10.32	1.00	1
T142	Tension Spring	76.2	14.30	1.40	1
T186	Tension Spring	76.2	15.90	2.00	1
T194	Tension Spring	79.4	14.30	1.40	1
T198	Tension Spring	88.9	10.32	1.00	1
T152	Tension Spring	88.9	11.10	1.25	1
T138	Tension Spring	88.9	11.10	1.40	1
T200	Tension Spring	88.9	19.00	1.60	1
T246	Tension Spring	88.9	22.23	2.24	1
T216	Tension Spring	95.3	9.34	1.00	1
T206	Tension Spring	95.3	12.70	2.00	1
T202	Tension Spring	98.4	19.00	2.80	1
T204	Tension Spring	101.6	9.54	0.90	1
T196	Tension Spring	101.6	14.30	1.25	1
T214	Tension Spring	101.6	15.90	2.00	1
T210	Tension Spring	114.3	8.70	0.63	1
T212	Tension Spring	114.3	9.54	0.80	1
T218	Tension Spring	114.3	9.54	1.25	1
T220	Tension Spring	114.3	11.85	1.00	1
T222	Tension Spring	114.3	12.70	1.60	1
T248	Tension Spring	114.3	20.64	2.24	1
T226	Tension Spring	120.7	12.00	1.40	1
T224	Tension Spring	120.7	12.70	1.80	1

Tension Works reserves the right to add, amend, or delete sizes without notice.

accounts@tensionworks.com.au <http://www.tensionworks.com.au>

Tension Springs

Zinc Plated Spring Steel



✉ accounts@tensionworks.com.au

Part No.	Description	Overall Length	Outside Diameter O.D.	Wire Diameter	No. per pack
T228	Tension Spring	123.80	14.30	1.80	1
T208	Tension Spring	127.0	4.76	0.56	1
T270	Tension Spring	127.0	8.00	0.90	1
T230	Tension Spring	127.0	15.90	2.00	1
T232	Tension Spring	127.0	20.60	1.80	1
T234	Tension Spring	130.2	14.30	1.40	1
T250	Tension Spring	146.0	25.40	3.15	1
T252	Tension Spring	149.2	25.4	2.24	1
T236	Tension Spring	152.4	14.30	1.80	1
T238	Tension Spring	152.4	73.10	0.90	1
T242	Tension Spring	152.4	9.54	1.00	1
T240	Tension Spring	165.1	9.54	1.25	1
T244	Tension Spring	165.1	15.90	1.40	1
T266	Tension Spring	165.1	19.00	2.24	1
T268	Tension Spring	171.5	14.30	2.00	1
T260	Tension Spring	177.8	27.00	2.80	1
T264	Tension Spring	190.5	28.60	2.24	1
T292	Tension Spring	193.7	25.40	3.15	1
T286	Tension Spring	203.2	20.60	2.24	1
T288	Tension Spring	215.9	15.90	2.24	1
T294	Tension Spring	215.9	22.23	2.80	1
T262	Tension Spring	215.9	27.00	2.00	1
T296	Tension Spring	244.5	25.40	3.15	1
T276	Tension Spring	304.8	25.40	2.80	1
T278	Tension Spring	304.8	27.00	3.15	1
ATL1	Tension Spring	280.0	10.00	1.00	1
ATM1	Tension Spring	280.0	10.00	1.25	1
ATH1	Tension Spring	280.0	10.00	1.40	1
ATL3	Tension Spring	280.0	12.00	1.25	1
ATM3	Tension Spring	280.0	12.00	1.60	1
ATH3	Tension Spring	280.0	12.00	1.80	1
ATL5	Tension Spring	280.0	16.00	1.60	1
ATM5	Tension Spring	280.0	16.00	1.80	1
ATH5	Tension Spring	280.0	16.00	2.00	1
ATR1	Tension Spring	250.0	28.60	3.15	1
ATR2	Tension Spring	230.0	28.60	3.15	1
ATS1	Tension Spring	112.0	25.5	5.50	1

Tension Works reserves the right to add, amend, or delete sizes without notice.

accounts@tensionworks.com.au <http://www.tensionworks.com.au>

Tension Works Pty Ltd

A.B.N. 25693636574 | A.C.N. 693636574

<https://www.tensionworks.com.au/>

Address:

27A Amberley Cres,
Dandenong South VIC 3175

All enquiries:

accounts@tensionworks.com.au

Trading Hours:

Mon-Fri, 8:00 am–7:00 pm

Trucks & Couriers only loaded until 4:00pm

Please note that Tension Works are **wholesale manufacturers** and do not sell directly to the public, nor do we have facilities for visitors to the warehouse.

Please find our latest catalogue and up-to-date price-lists on our website

This page is intentionally left blank